TECHNICAL REPORT
75-89-FEL

EVALUATION OF A VERTICAL CONVEYORIZED ELECTRIC GRILL



Approved for public release; distribution unlimited.

R. L. Bernazzani

G. D. Bell

Project reference; 1T764713D548-22

June 1975

UNITED STATES ARMY
NATICK, DEVELOPMENT CENTER
NATICK, MASSACHUSETTS 01760



Food Engineering Laboratory FEL-30

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.



UNCLASSIFIED
SECURITY STASSIFICATION OF THIS PAGE (When Date Entered)

	READ INSTRUCTIONS BEFORE COMPLETING FO
1. REPORT NUMBER 2. GOVT AC	CESSION NO. 3. RECIPIENT'S CATALOG NUMBER
B-75-89-FEL (- 13) // //	
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD CO
EVALUATION OF A VERTICAL CONVEYORIZED	19
ELECTRIC GRILL	Technical Report.
ELECTRIC GRILL,	6. Penrenuna one: nepong fluis
a trong graph the transfer and the same of	(/4/) FEL-30
7. AUTHOR(e)	CONTRACT OR GRANT NUMBER
Robert L. Bernazzani /	
Gordon Bell	1211
PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT
	10. PROGRAM ELEMENT, PROJECT, AREA & WORK UNIT NUMBERS
US Army Natick Development Center]
Natick, MA 01760	6.4, 1T764713D548-22
FEL 1. CONTROLLING OFFICE NAME AND ADDRESS	
TO CONTROLLING OFFICE NAME AND ADDRESS	A Turn TOGE
Cama an abayo	// June 75 /
Same as above	16
14. MONITORING AGENCY NAME & ADDRESS(II dillorent from Centre	
1 17 4/17/2	2/2/
10 1-1-764713 D-3	/ Unclassified
	154. OECLASSIFICATION/DOWNGRA
17) 1-14-7647 (3-D-543	SCHEDULE
C. DISTANBUTION STATEMENT (of this Report)	to the second of
Approved for public release; distribution	n unlimited.
	; (c)
	* * * * * * * * * * * * * * * * * * * *
	10 JUL 21 197
17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20,	
17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20,	
17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20,	
17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20,	
	t ditterent from Report)
	t ditterent from Report)
	t ditterent from Report)
	t ditterent from Report)
18. SUPPLEMENTARY NOTES	t ditterent from Report)
18. SUPPLEMENTARY NOTES . 9. KEY WOROS (Continue on reverse side if necessary and identify by	block number)
18. SUPPLEMENTARY NOTES 19. KEY WORDS (Continue on reverse side if necessary and identify by EVALUATION BEEF	block number) FOOD PRODUCTION
19. KEY WORDS (Continue on reverse elde II necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT	block number) FOOD PRODUCTION FOOD ACCEPIANCE
18. SUPPLEMENTARY NOTES . 19. KEY WORDS (Continue on reverse side if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT	block number) FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD)
19. KEY WORDS (Continue on reverse side if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER.	block number) FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD)
18. SUPPLEMENTARY NOTES . 19. KEY WORDS (Continue on reverse side if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PATFOOD EQUIPMENT ENGINEER: CHAIN CONVEYORS	block number) FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD) ING QUALITY
19. KEY WORDS (Continue on reverse side if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER. CHAIN CONVEYORS 20. ABSTRACT (Continue on reverse side it necessar, and identify by its	block number) FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD) ING QUALITY
19. KEY WORDS (Continue on reverse elde if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER CHAIN CONVEYORS 20. ABSTRACT (Continue on reverse elde if necessar, and identify by it	block number) FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD) ING QUALITY Flock number) was evaluated from an engineeri
19. KEY WOROS (Continue on reverse side if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PATFOOD EQUIPMENT ENGINEER CHAIN CONVEYORS 20. ABSTRACT (Continue on reverse side if necessar, and identify by the continuous vertical electric grill focd production and food acceptance points	block number) FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD) ING QUALITY Vock number) was evaluated from an engineerit of view. Production rate,
19. KEY WOROS (Continue on reverse side il necessary and identilly by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER: CHAIN CONVEYORS 20. ABSTRACT (Continue on reverse side il necessar, and identity by it is a continuous vertical electric grill focd production and food acceptance point consistent with the quality criteria est	FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD) ING QUALITY was evaluated from an engineerit of view. Production rate, ablished, was found to be 250
19. KEY WOROS (Continue on reverse elde il necessary and identilly by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER: CHAIN CONVEYORS 10. ABSTRACT (Continue on reverse elde il necessar, and identilly by it is a continuous vertical electric grill food production and food acceptance point consistent with the quality criteria est hamburger patties per hour. The unit wa	FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD) ING QUALITY Was evaluated from an engineeri t of view. Production rate, ablished, was found to be 250 s limited to processing unfrozen
9. KEY WOROS (Continue on reverse elde il necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER CHAIN CONVEYORS 10. ABSTRACT (Continue on reverse elde il necessar, and identify by its analysis of the continuous vertical electric grill focd production and food acceptance point consistent with the quality criteria est hamburger patties per hour. The unit wa meat patties only. No significant diffe	FOOD PRODUCTION FOOD ACCEPIANCE FIES PRODUCTION (FOOD) ING QUALITY Was evaluated from an engineering to fiview. Production rate, ablished, was found to be 250 in limited to processing unfrozen rence was found between the qual
9. KEY WOROS (Continue on reverse elde if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER CHAIN CONVEYORS 10. ABSTRACT (Continue on reverse elde if necessary, and identify by A continuous vertical electric grill focd production and food acceptance poin consistent with the quality criteria est hamburger patties per hour. The unit wa meat patties only. No significant diffe of patties cooked on this grill and thos	FOOD PRODUCTION FOOD ACCEPIANCE TIES PRODUCTION (FOOD) ING QUALITY Was evaluated from an engineeric tof view. Production rate, ablished, was found to be 250 is limited to processing unfrozen rence was found between the quale cooked on a conventional grill
9. KEY WOROS (Continue on reverse side if necessary and identify by EVALUATION BEEF GRILLS (ELECTRIC) MEAT KITCHEN EQUIPMENT & SUPPLIES BEEF PAT FOOD EQUIPMENT ENGINEER. CHAIN CONVEYORS O. ABSTRACT (Continue on reverse side if necessary, and identify by its and id	FOOD PRODUCTION FOOD ACCEPIANCE TIES PRODUCTION (FOOD) ING QUALITY was evaluated from an engineeri t of view. Production rate, ablished, was found to be 250 s limited to processing unfrozen rence was found between the qual e cooked on a conventional grill

UNCLASSIFIED 4 3 TO CURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

PREFACE

Acknowledgement is given to personnel of the Food Service Equipment and Evaluation Team, Food Systems Equipment Division, General Equipment and Packaging Laboratory for experimental testing of this equipment; and personnel of The Sensory Evaluation Unit, Food Acceptance Group, Behavioral Sciences Division, Pioneering Research Laboratory for carrying out the food acceptance portion of this evaluation.

TABLE OF CONTENTS

																				Page
1.	Intr	oduction	• • •	• •	•	•	• •	•	•	• •	•	•	•	•	•	• •	•	•	•	1
2.	Desc	ription o	of the	Gril	1	•	• •	•	•	• •	•	•	•	•	•	•	•	•	•	1
3•	Test	ing •		• • •	•	• (• •	•	•		•	•	•	•	•	• •	•	•	•	1
	a•]	Engineer	ing .	• •	•	•	• •	•	•	• •	•	•	•	•	•	• •	•	•	•	1
	b. 1	Food Proc	luction	1 • •	•	• (• •	•	•	• •	•	•	•	•	•	• •	. •	•	•	6
	c. 1	Food Acce	eptabil	Lity	•	•	• •	•	•	• •	•	•	•	•	•	• •	•	•	•	6
4.	Find	ings		• •		. (•	•	• •	•	•	•	•	•	• •		•	•	6
	a. 1	Engineeri	ing .		•	•		•	•	• •	•	•	•	•	•	• •		•	•	6
	b• 1	Food Prod	luction	1 • •	•	• (• •	•	•	• •	•	•	•	•	•	• •		•	•	6
	c. 1	Food Acce	eptabil	lity	•	•		•	•	• •	•	•	•	•	•	•	•	•	•	8
5•	Conc	lusions	• • •		•	• •	. •	•	•		•	•	•	•	•	•	•	•	•	8
					I	IS.	r 01	FI	LL	UST	RA'	ric	NS	,						
Fig	ure 1	Front \	/iew .										•							2
•	ure 2	Side ar																	•	3
Ŭ	ure 3		_															Ī	•	-
t TR	ر ت	Chain a	nm Dr(TTEL	ĽL	.eme	JII	AS	se	iuoT	y	•	•	•	•	•	•	•	•	4
Fig	ure 4	Interne	al View	•	•	•	• •	•	•	• •	•	•	•	•	•	•	•	•	•	5
Tab	le I	Actual	Cookir	g Ra	sul	ts													_	7

EVALUATION OF A VERTICAL ELECTRIC GRILL

1. Introduction

A vertical conveyorized electric grill* was evaluated to determine whether it is suitable for garrison food service operations and its relative merit from a sensory viewpoint compared to the manual grilling method. The evaluation encompassed three separate phases: (1) engineering, (2) food production, and (3) food acceptance.

2. Description of the Grill

The vertical conveyorized electric grill was designed primarily for the continuous broiling of ground beef patties. The grill is a counter top model fabricated from stainless steel with approximate overall dimensions of 64.77 centimeters (24-1/2 inches) wide, by 50.90 centimeters (20 inches) high, by 38.74 centimeters (15-1/4 inches) deep. A vertical moving conveyor chain belt of stainless steel moves the product being cooked from a loading section on the top, down between a grill surface and a broiler element, so that both sides are cooked simultaneously, and deposits the cooked product into a pan located below the grill.

The unit operates at 208 or 220 volts, 60 Hertz, 1-phase, a.c. and draws 30 amperes. Separate thermostats control the grill and broiler elements, and each has a pilot light. A Teflon coated sheet of fabric covers the grill surface so that the patties do not touch the grill surface; hence no residue is built up on the grill. Conveyor belt speed is constant. The production rate shown on manufacturer's literature is 250 hamburger patties per hour after the unit has been preheated.

The unit weighs 52.16 kilograms (115 pounds) and is illustrated in Figures 1 through 4. The unit bears the National Sanitation Foundation (NSF) Seal of Approval and is Underwriter Laboratories (UL) approved.

3. Testing

a. Engineering - The unit was connected to a nominal 208 volt, 60 Hertz, l-phase, a.c. source, and power consumption was measured. Time required to pre-heat the grill from 22.2 Celsius (72 Fahrenheit) to 176.7 Celsius (350 Fahrenheit) and 204.4 Celsius (400 Fahrenheit) was recorded. The power shut-off switch, broiler thermostat, grill thermostat and signal lights were tested to determine functional operation. Wiring and wiring connections were examined for continuity, overheating, and tightness. Front panel surface temperature was recorded during the cooking operation, and the broiler socket release handle temperature was noted just after shutting off the power.

^{*}Model HP-14, Serial No. 310 of American Permanent Ware Company, 729 Third Avenue, Dallas, Texas 75226




Figure 1 Front View

- A. Broiler Infinite Control Thermostat
- B. Belt & Broiler ON/OFF Switch
- C. Grill Thermostat
- D. Perforated Drain Pan
- E. Grease Gutter
- F. Handle Bar for Broiler/ Chain Assembly




Figure 2 Side and Top View

- A. Broiler Infinite Control Thermostat
- B. Belt & Broiler ON/OFF Switch
- C. Grill Thermostat
- D. Perforated Drain Pan
- E. Grease Gutter
- F. Handle Bar for Broiler/ Chain Assembly




Figure 3 Chain & Broiler Element Assembly

- A. Stainless Steel Continuous Chain Belt
- B. Broiler Heating Elements & Assembly




Figure 4 Internal View

- A. Teflon Coated Griddle Plate Sheet
- B. Broiler Electrical Socket Release Handle

The unit was completely disassembled for cleaning, and the time required and ease of removal and cleaning were determined.

- to Food Production Refrigerated hamburger patties, made from ground beef conforming to MIL-B-3854, were used in the production phase of this evaluation. Patty weight is shown in Table I. Twelve (12) hamburger patties were used in each of six (b) test runs are then sixty-nine (69) patties were used for the seventh run. Initial patty temperatures and weights were recorded, and final cooked temperatures and weights obtained at various equipment settings were recorded, as well as the cooked percent yield. In determining the optimum cooking conditions the highest yield obtainable with a final internal product temperature of 71.1 Celsius (160 Fahrenneit) was recorded. A warm-up time of 30 minutes and 10 seconds was required to reach 176.7 Celsius (350 Fahrenheit), and 10 minutes and 30 seconds, to reach 204.4 Celsius (400 Fahrenheit).
- c. Food Acceptability An organoleptic comparison was made between hamburger patties prepared on a conventional grill and those prepared on the vertical grill to determine acceptability from the point of view of the consumer. A panel of 36 consumers was selected for the test.

4. Findings

a. Engineering - Measured power consumption was 7 kilowatts compared to the manufacturer's 6.3 kilowatt rating. The toggle switch shut off power to the broiler element and conveyor, but did not shut off power to the grill. Crimp cornections at the switch were loosely installed. Internal wiring heated up noticeably. Both thermostats and signal lights functioned properly.

The front panel surface temperature exceeded 93.2°Celsius (200°Fahrenheit) while cocking. The broiler socket removal handle was too hot to touch and retained the heat for about 20 minutes after shut-off before it could be handled for cleaning.

The unit is easily disassembled for cleaning and required about 2-1/4 minutes; however, it was necessary to allow the equipment to cool before attempting to disassemble and clean. The gear assembly, chain, Teflon grill pads and grease drain must be washed by hand. All other components can be washed in a dishwashing machine. The Teflon pads were about 2.54 centimeters (1 inch) too short allowing grease to splatter on the exposed grill making the grease difficult to remove. The edges of the Teflon appeared to be wicking grease. The frame under the bottom edge of the grill, and the rods on the gear assembly were also difficult to clean. Cleaning time was 32-1/2 minutes, and reassembly required another 4-1/4 minutes.

b. Focd Production - The cooked weight and internal patty temperature were recorded, and the yield percentage was calculated. Results are shown in Table I. The yield was greatest at "LOW" broiler setting and 176.7 Celsius (350 Fahrenheit) grall setting. The last run was made to determine production capacity as well as yield percentage. A grill setting of 204.4 Celsius (400 Fahrenheit) and a broiler setting of "HIGH" were required to obtain fully cooked patties at the manufacturer's stated rate of 250 per hour.

Table I. Actual Cooking Results

Temp	Temperature	6									
Sett Grill	Settings rill	Proiler	Quantity of Patties	Initial Tempera	il ature	Final Temperature	ure	Initia Weight	Initial Weight	ការពង អាចាំនាក់	Fereen Yield
ည	OF			ರಿ ೧೯	OF.	οc	O FF	Κε	Ozs.	Kg Ogs.	
176.7	350	Low	12	5.27	41.50	49.44-62.22	121-144	1.01	35-3/4	./I-53	81.8
17.6.7	350	High	12	6.00	42.80	72.78	163	0.3	34-3/4	0.7% 20	2.71
190.6	375	High	12	5.56	42.00	67.22-75.00	153-167	1.02	35	0.74 26	72.2
2c4.4	700	High	12	5.22	11.40	72.22-77.22	162-171	1.02	36	0.72 25-1/2	8.07
218.3	425	High	12	5.11	41.20	72.22-76.67	162-170	1.03	36-1/4	0.73 25-3/4	71.0
232.2	450	High	12	5.56	42.0C	18.89-82.78	174-181	1.02	(A)	0.72 25-1/2	70.8
232.2	450	High	*69	5.00	41 00	76.67-80.56	170-177	5.89	207-3/4	4.27 150-1/2	72.4

*This run took 16-1/2 minutes.

c. <u>Food Acceptability</u> - An analysis of the results expressed by the panel of 36 consumers shows that at the 95% confidence level there was no significant difference in acceptability between the patties prepared on a conventional grill and those prepared on the vertical grill.

5. Conclusions

The vertical grill has sufficient power to meet the claimed production level of 250 patties per hour. A production of 250 patties per hour was the maximum rate that could be obtained.

The unit was limited in that it could only process refrigerated meat patties. It could not process frozen patties because they could not negotiate the 90 turn from the loading position down between the grill and broiler. When they were physically placed between these elements, they were not cooked sufficiently on a single pass.

The equipment did have the advantage that consistent product quality was not dependent on the skill of the cook. It was possible to make a cheeseburger of sorts by placing a slice of cheese on a patty immediately after cooking.

The addition of a switch to cut off all power to the grill is considered necessary. Additional insulation on the front panel and relocation of the handle would provide greater safety for operators.

DISTRIBUTION LIST

	Copies		Copies
DoD Food Service Facility and Equipment Planning Board Executive Secretary U.S. Army Troop Support Agency Ft. Lee, VA 23801	10	Mary Alice Moring Asst. Head, Food Svc Section Facilities & Services Div I&L Dept Code IFS-4 Hq U.S. Marine Corps	1
W. R. Grace & Co. P.O. Box 464	5	Washington, DC 20380	
ATTN: Mr. A. T. Wilson Duncan, SC 29334		Professor of Food Science and Technology	1
U.S. Army Medical Research & Development Command	1	University of Nebraska Lincoln, NB 68503	
ATTN: SGRD-MDI-N Washington, DC 20314	_	Dr. K. C. Emerson Deputy for Schence & Technolog Office of Asst. Secretary of	1
COL R. T. Cutting Health & Environmental Div Office of The Surgeon General Dept of the Army	1	the Army R&D Department of the Army Washington, DC 20310	
Washington, DC 20314 COL P. L. Accountius, AMSC Ch, Dietitian Sect., DASG-DBD	2	COL Stanley C. White, USAF, MC Military Asst. for Medical and Life Sciences OAD/IS, The Pentagon, Rm 3Bl29	
Rm 7G028, Forrestal Bldg. Washington, DC 20314		ODDRE, Washington, DC 20301 Dr. Howard R. Roberts	1
CPT Ruth Tomsuden, SC USN Commanding Officer Navy Food Service Systems Ofc Building 166 Washington Navy Yard	1	Act. Dir., Bureau of Foods Food & Drug Administration 200 C Street, SW Washington, DC 20204	•
Washington, DC 20374 Hq, Defense Supply Agency	1	Commander US Army Troop Support Agency ATTN: DALO-TAE	2
ATTN: DSAH-OP Cameron Station Alexandria, VA 22314		Fort Lee, VA 23801 Commandant	3
Commander US Army Training & Doctrine Cmd ATTN: ATCD-S Fort Monrce, VA 23651	1	US Army Quartermaster School ATTN: ATSM-CTD-MS Fort Lee, VA 23801	

	Copies		Copies
Director Defense Supply Agency ATTN: DSAH-OWO (H. E. Brissey) Cameron Station Alexandria, VA 22314	1	Dr. Michael J. Pallansch Act Assistant Administrator ARS - US Dept of Agriculture Washington, DC 20250	1
Dr. Emil M. Mrak Chancellor Emeritus University of California Davis, CA 95616	1	Office of the Coordinator of Research University of Rhode Island Kingston, RI 02881	3
Medical Research Library Letterman Army Institute of Research	1	Ch, Veternary Activities WRAMC Washington, DC 20012	1
Presidio of San Francisco, CA 94129		Hq USAF/SGV Forrestal Building Washington, DC 20314	1
Dr. G. E. Livingston Food Science Associates P.O. Box 265 Dobbs Ferry, NY 10522	2	HQDA (DALO-TST-F) Washington, DC 20310	1
Headquarters Department of the Army ATTN: DAMA-CSS-D Washington, DC 20310	1	Associate Chief for Dietetics/Nutrition Medical Food Svc Division Malcolm Grow USAF Medical Ctr Andrews AFB, Wash, DC	1
Dr. I. A. Wolff, Director Eastern Regional Research Ctr Agricultural Research Svc U.S. Dept of Agriculture 600 E. Mermain Lane Wyndmoor, PA 19118	2	Dr. Frank R. Fisher Executive Director, ABMPS National Academy of Sciences National Research Council 2101 Constitution Avenue Washington, DC 20418	2
CDR Harold J. Janson, MSC, USN Head, Food Service Branch Bureau of Medicine & Surgery Navy Department Washington, DC 20390	1	Air Force Services Office DPKF 2800 South 20th Street Philadelphia, PA 19101	2
Commander US Army Logistics Center ATTN: ATCL-MS Fort Lee, VA 23801	1	Commander US Army Materiel Command ATTN: AMCRD-TI 5001 Eisenhower Avenue Alexandria, VA 22333	1

	Copies	<u>(</u>	opies
Dr. Louis J. Ronsivalli Fishery Products Technology Lab	1	USAFSAM/VNEN ATTN: Dr. Vanderveen	1
US Dept. of Commerce		Brooks Air Force Base, TX 78235	;
National Oceanic & Atmospheric Administration		Mr. R. M. Frisosky	1
National Marine Fisheries Service		Sr. Lab Manager, Pet Foods	.=
Northern Region Emerson Avenue		General Foods Corp Technical Center	
Gloucester, MA 01930		250 North Street White Plains, NY 10625	
Ch, Food Service Division	1	·	
Walter Reed General Hospital Washington, DC 20012		NASA: Johnson Space Center ATTN: DB-3 Dr. Malcolm C. Smith	2
mashington, be zootz		Houston, TX 77058	
Director	1	De Walle Mag	•
Dept. of Nutrition & Food Sciences Massachusetts Institute of		Dr. Helen McCammon Office of Research & Development	1
Technology		Environmental Protection Agency	
ATTN: Dr. M. Karel		Region I	
Cambridge, MA 02139		Room 2203 John F. Kennedy Federal Bldg.	
Mr. Joseph V. Budelman US Army Aviation Systems Cmd	1	Boston, MA 02203	
ATTN: AMSAV-MK		Director	2
P.O. Box 209, Main Office St. Louis, MO 63166		Development Center (ATTN: M&L Div)	
Commander	2	Marine Corps Dev & Ed Command	
LAIR	2	Quantico, VA 22134	
PSF, CA 94129		Ch, Professional Policy & Doctrine Office	1
Government Documents Dept.	1	HQ, DA, OTSG, DASG-VCP	
University of California Library		Forrestal Bldg, RM 6B134	
Davis, CA 95616		Washington, DC 20314	
Logistics Library	1	Ch, Subsistence-Commissary Div	1
Bunker Hall Fort Lee, VA 23801		Subsistence & Food Svc Dept. US Army QM School	
1010 100, VA 2,301		Fort Lee, VA 23801	
COL Merton Singer, USA, (Ret)	1	,	_
Executive Secretary Research & Dev Assoc for Military		Technical Service Branch Technical Operation Div	1
Food & Packaging Systems, Inc.		Directorate Subsistence	
Rm 1315		Defense Personnel Support Center	
90 Church Street New York, NY. 10007		ATTN: Director of Subsistence, DPSC-STS	
		2800 South 20th Street Philadelphia, PA 19101	

	Copies		Copies
Joseph F. Brugh, Dir Naval Logistics Engineering Gp Cheatham Annex Williamsburg, VA 23185	1	Mr. Herbert W. Maas, Jr. US Army Mobility Equipment R&D Center ATTN: STSFB-GMP Fort Belvoir, VA 22060	1
US Dept of Agriculture Animal & Plant Health Inspection Service (APHIS) ATTN: Ch, Product Standards Staff Technical Services Staffs Washington, DC 20250	2	Hq lst Corps Support Command AC of S Services ATTN: Food Advisor Fort Bragg, NC 28307	1
Consumer Products Division, 730 Bureau of Domestic Commerce US Department of Commerce Washington, DC 20230	1	Dr. William H. Brown Chairman, Committee on Radiation Preservation of Food, NAS/NRC President, American Bacteriolog and Chemical Research Corp.	1 EV
Stimson Library (Documents) Academy of Health Sciences, US Army	1	P.O. Box 1557 Gainesville, FL 32601	
Fort Sam Houston, TX 78234 Commander US Training & Doctrine Command ATTN: ATIG-SVC-TS Fort Monroe, VA 23651	2	FMC Corporation Center Engineering Laboratories P.O. Box 580 Santa Clara, CA 95052 ATTN: J. A. Abbott	l s
LTC John Piercy HQDA (DASC-HC) Washington, DC 20314	1	Commandant US Army Infantry School ATTN: ATSH-CD Fort Benning, GA 31905	1
US Army Logistics Evaluation Agency ATTN: DALO-LES New Cumberland Army Depot New Cumberland, PA 17070	1	Reynolds Metals Company Packaging Research Division ATTN: Mr. W. P. Andrews 10th & Byrd Street Richmond, VA 23219	1
FMC Corporatio Canning Machinery Division ATTN: Dr. Harold Adams 333 W. Julian Street San Jose, CA 95108	1	CINCSAC/LGSV ATTN: CPT Frank Dooley Offut AFB, NB 68113 Hq ADC/LGSV	1
Defense Documentation Center Cameron Station Alexandria, VA 22314	12	ATTN: CPT Gary Metzinger Ent AFB, CO 80912	

		·	
	Copies		Copies
AF/RDPS	1	Hq TAC/LGSV	1
ATTN: 1.TC Domenic A. Maio		Langley AFB, VA 23665	
Pentagon Washington, DC 20330		Hq MAC/LGSS	1
		Scott AFB, IL 62225	
AF/LGYUV	1	u_ amo/roce	1
ATTN: LTC Fried Pentagon		Hq ATC/LGSS Randolph AFB, TX 28148	1
Washington, DC 20330			
APCO/CO	1	Hq AMD/RDB ATTN: MAJ David Beatty	1
AFSC/SG ATTN: COL McIver		Brooks AFB, TX 78235	
Andrews AFB, MD 20331			
AR (CCD	1	AFSC/SGB	1
AF/SGP ATTN: COL Carter	т	ATTN: MAJ Thomas Kingery Andrews AFB, MD 20331	
Forrestal Building			
Washington, DC 20314		AFLC/SGV ATTN: COL Charles Fuller	1
AF/SGV	1	Wright Patterson, AFB, OH	
ATTN: Colonel Grau			_
James Forrestal Building Washington, DC 20314		MAC/SGV Scott AFB, IL 62225	1
Hashington, bo 20014		Decour May 11 Occas	
Air Force Services Office	1	ATC/SGV	1
ATTN: Mr. Roger Merwin 280C South 20th Street		Randolph AFB, TX 78148	
Philadelphia, PA 19101		SAC/SGV	1
	7	Offutt AFB, NB 68113	
Air Force Services Office ATTN: Mrs. Germaine Gotshall	1	US AFE/SGV	1
2800 South 20th Street		APO NY, NY 09012	_
Philadelphia, PA 19101		US ARGO /GGU	7
DPSC/ST	1	USAFSO/SGV APO NY, NY 09825	1
2800 South 20th Street	_		
Philadelphia, PA 19101		AAC/SGV	1
USAFA/SGV	1	APO Seattle 98742	
USAF Academy, CO 80840	_	CINCPACAF/SGV	1
MOAD Calanda and Haralah Cama	٦	APO San Francisco 96553	
USAF School of Health Care Sciences	1	TAC/SGV	1
MSSV		Langley AFB, VA 23665	_
Sheppard AFB, TX 76311		ADC/SGV	1
		Ent AFB, CO 80912	1
		•	

INTERNAL DISTRIBUTION LIST

Technical Director, U. S. Army Natick Development Center ATTN: Deputy Technical Director, Food Service Systems Program	1
Technical Director, U. S. Army Natick Development Center ATTN: Special Assistant for DoD Food Program	1
wint Technical Staff	
U. S. Army Representative U. S. Air Force Representative U. S. Navy Representative U. S. Marine Corps Representative	1 1 1 2
Chief, Engineering Programs Management Office ATTN: Standardization Management Section	2
Chief, Technical Documentation Office	2
Chief, Technical Library	2
Commanding Officer, Headquarters Company, USANDC	1
Food Engineering Laboratory	
Director Chief, Food Systems Equipment Division Chief, Food Packaging Division Chief, Military Requirements & Development Programs Office Chief, Administrative & Property Office Author	1 5 3 12 2 25